

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Fig. 1




Fig. 2

```

struct PROCESS_TYPES DefaultProcessTypes[ ] = {
/* Animation scripts (Server push) */
“ani”,    TY_ANIMATION,  NULL,          ProcessANI,
“cgi”,    TY_CGI,        NULL,          ProcessCGI,
/* html's */
“html”,   TY_HTML,       “text/html”,   SendFile,
/* shtml's will be server passed */
“shtml”,  TY_SHTML,      “image/html”, ProcShtml,
/* gif graphics Images */
“gif”,    TY_GIF,        “image/gif”,   SendFile,
/* jpeg graphics Images*/
“jpeg”,   TY_JPEG,       “image/jpeg”,  SendFile,
“jpg”,    TY_JPEG,       “image/jpeg”,  SendFile,
“jpe”,    TY_JPEG,       “image/jpeg”,  SendFile,
/* map Image Maps */
“map”,    TY_MAP,        NULL,          ProcessMap,
/* default is to send file */
“”,       TY_DEFAULT,    “text/html”,   SendFile,
/* Structure terminator */
NULL,     TY_ALLDONE,    NULL,          NULL};

```

Fig. 3

```

PORT          = 80
RULE1         = {
    TIME       = "1AM-12PM"
}
WWW.SRMC.COM  = {
    .CGI       = "PROCESSCGI"
    ROOT      = "/HOME/HONOLULU/HTML"
}
WWW.HONOLULU.NET = {
    .CGI       = ""
    ROOT      = "/HOME/HONOLULU/HTML"
}
WWW.SANJOSE.NET = {
    .CGI       = "PROCESSCGI"
    ALLOW     = {
        *.SRMC.COM
        205.138.192.*
        205.138.192.0/23
    }
    DENY      = {
        MISTERPAIN.COM
    }
}
WWPROXY.SRMC.COM = {
    MODE       = RT_SERVERPROXY
}
NS.SRMC.COM   = {
    ALLOW     = {
        192.168.0.*
        192.168.1.* = RULE1
        192.168.2.* = {
            TIME       = "1AM-12PM"
        }
        192.168.3.* = 192.168.2.*
    }
}
MJU.SRMC.COM  = {
    ALLOW     = {
        192.168.0.0.23 = RULE1
    }
    DENY      = {
        192.168.0.* = {
            TIME       = "12PM-1AM"
        }
    }
}
}

```

Fig. 4

501	503	505	507	509	511
____	____	____	____	____	____
(REMOTE IP OR NAME) USERNAME [DATE & TIME] "GET ...HTTP/1.0" ERC BYTESXFRD					

Fig. 5

651	
____	(HOST) HITBY (REMOTE IP OR NAME) USERNAME [DATE & TIME]
	"GET ...HTTP/1.0" ERC BYTESXFRD REFERRER

653

Fig. 6

